

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE



In Re:  
Applicants : Constantine Tsikos and C. Harry Knowles  
Application Serial No.: 10/068,803  
Filing Date : February 6, 2002  
Title : BIOPTICAL PRODUCT AND PRODUCE IDENTIFICATION  
SYSTEMS EMPLOYING PLANAR LASER ILLUMINATION  
AND IMAGING (PLIIM) BASED SUBSYSTEMS  
Examiner : not yet assigned  
Group Art Unit : not yet assigned  
Attorney Docket No. : 108-127USAND0

Honorable Commissioner of Patents and Trademarks  
Washington, D.C. 20231

REQUEST FOR CORRECTED FILING RECEIPT

Sir:

Attorney for Applicants respectfully requests a correction of the Official Filing Receipt for the above-identified Application, wherein Continuing Data is incorrect.

The correct Continuing Data, *pursuant to the attached Amendment*, should read as follows:

**Domestic Priority data as claimed by applicant**

THIS APPLICATION IS A CON OF 09/954,477 [FILED] 09/17/01;  
WHICH IS A CIP OF 09/883,130 [FILED] 06/15/01;  
WHICH IS A CIP OF 09/781,665 [FILED] 02/12/01;  
AND A CIP OF 09/780,027 [FILED] 02/09/01;  
AND A CIP OF 09/721,885 [FILED] 11/24/00;  
AND A CIP OF 09/327,756 [FILED] 06/07/99.

**Foreign Applications**

PCT/US00/15624 [FILED] 06/07/00, NOW WO 00/75856;  
In its paraphrased form the continuing data reads as follows:

*This is a Continuation of Application No. 09/954,477 filed September 17, 2001, which is a Continuation-in-Part of: copending Application Serial No. 09/883,130 filed June 15, 2001, which is a Continuation-in-Part of Application No. 09/781,665 filed February 12, 2001; copending Application Serial No. 09/780,027 filed February 9, 2001; copending Application Serial No. 09/721,885 filed November 24, 2000; International Application PCT/US00/15624 filed June 7, 2000, published as WIPO Publication WO 00/75856; Application Serial No. 09/327,756 filed June 7, 1999; each said application being commonly owned by Assignee, Metrologic Instruments, Inc., of Blackwood, New Jersey, and incorporated herein by reference as if fully set forth herein.*


Please forward a corrected filing Receipt which includes the above-referenced corrected information (i.e. corrected Continuing Data) to the undersigned attorney at the following address:

Thomas J. Perkowski, Esq., P.C.  
Soundview Plaza  
1266 East Main Street  
Stamford, Connecticut 06902

The Commissioner is authorized to charge any fee deficiencies to Deposit Account No. 16-1340.

Respectfully submitted,


Dated: August 27, 2002

  
Thomas J. Perkowski, Esq.  
Reg. No. 33,134  
Attorney for Applicants  
Thomas J. Perkowski, Esq., P.C.  
Soundview Plaza  
1266 East Main Street  
Stamford, Connecticut 06902  
203-357-1950  
<http://www.tjpatlaw.com>

CERTIFICATE OF FIRST CLASS MAIL  
UNDER 37 CFR 1.8

I hereby certify that this correspondence  
is being deposited with the United States Postal Service  
on August 27, 2002 as postage prepaid  
First Class US Mail addressed to:

Assistant Commissioner of Patents  
Office of Initial Patent Examination  
Customer Service Center  
Washington, DC 20231



Thomas J. Perkowski, Esq.

Dated: August 27, 2002